

VENA® TECHNOAIR®

Inner Diameter	Wall thickness	Outer Diameter	Working pressure	Vacuum resistance	Bending radius
<i>mm</i>	<i>+0.04/-0.02 mm</i>	<i>mm</i>	<i>bar</i>	<i>bar</i>	<i>mm</i>
40	0,5	41	1,12	1,06	50
45	0,5	46	1,06	1,02	55
50	0,5	51	1,01	0,99	60
55	0,5	56	0,97	0,96	65
60	0,5	61	0,92	0,93	70
65	0,5	66	0,88	0,90	75
70	0,5	71	0,84	0,87	80
75	0,5	76	0,80	0,85	85
80	0,5	81	0,76	0,82	90
85	0,5	86	0,73	0,80	95
90	0,5	91	0,69	0,78	100
95	0,5	96	0,66	0,76	105
100	0,5	101	0,63	0,74	110
105	0,5	106	0,60	0,72	115
110	0,5	111	0,57	0,71	120
115	0,5	116	0,54	0,69	125
120	0,5	121	0,52	0,68	130
125	0,5	126	0,49	0,66	135
130	0,5	131	0,47	0,65	140
135	0,5	136	0,45	0,64	145
140	0,5	141	0,43	0,63	150
145	0,5	146	0,41	0,62	155
150	0,5	151	0,39	0,60	160
155	0,5	156	0,37	0,60	165
160	0,5	161	0,35	0,59	170
165	0,5	166	0,34	0,58	175
170	0,5	171	0,32	0,57	180
175	0,5	176	0,31	0,56	185
180	0,5	181	0,29	0,55	190

IMPORTANT:

It is the user's responsibility to ensure the suitability and safety of the VENAIR products for all intended uses. All the tests must be conducted in accordance with applicable regulatory requirements in order to determine the safety and effectiveness for use of the hoses in any particular application. Limited Warranty: For a period of 6 months from the date of sale, VENAIR warrants this product to be free from defects in materials and workmanship. Our only obligation will be to replace any portion proving defective, or at our option, to refund the purchase price thereof. User assumes all other risk, if any, including the risk of injury, loss or damage, direct or consequential, arising out of the use, misuse, or inability to use, this product. THIS WARRANTY IS IN LIEU OF THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR PARTICULAR PURPOSE, AND ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. No deviation is authorized. VENAIR assumes no obligations or liability for any advice furnished by it, or for results obtained with respect to those products. All such advice is given and accepted at the buyer's risk.

Venair, Vena, Technoair and the Venair logo are trademarks of Venair Ibérica SA.

185	0,5	186	0,28	0,55	195
190	0,5	191	0,26	0,54	200
195	0,5	196	0,25	0,53	205
200	0,5	201	0,24	0,53	210
205	0,5	206	0,23	0,52	215
210	0,5	211	0,22	0,52	220
215	0,5	216	0,21	0,51	225
220	0,5	221	0,20	0,51	230
225	0,5	226	0,19	0,50	235
230	0,5	231	0,18	0,50	240
235	0,5	236	0,17	0,50	245
240	0,5	241	0,16	0,49	250
245	0,5	246	0,16	0,49	255
250	0,5	251	0,15	0,49	260
255	0,5	256	0,14	0,48	265
260	0,5	261	0,14	0,48	270
265	0,5	266	0,13	0,48	275
270	0,5	271	0,12	0,47	280
275	0,5	276	0,12	0,47	285
280	0,5	281	0,11	0,47	290
285	0,5	286	0,11	0,47	295
290	0,5	291	0,10	0,47	300
295	0,5	296	0,10	0,46	305
300	0,5	301	0,09	0,46	310
305	0,5	306	0,09	0,46	315
310	0,5	311	0,08	0,46	320
315	0,5	316	0,08	0,46	325
320	0,5	321	0,08	0,46	330
325	0,5	326	0,07	0,45	335
330	0,5	331	0,07	0,45	340
335	0,5	336	0,07	0,45	345
340	0,5	341	0,06	0,45	350
345	0,5	346	0,06	0,45	355
350	0,5	351	0,06	0,45	360
355	0,5	356	0,05	0,45	365
360	0,5	361	0,05	0,45	370

IMPORTANT:

It is the user's responsibility to ensure the suitability and safety of the VENAIR products for all intended uses. All the tests must be conducted in accordance with applicable regulatory requirements in order to determine the safety and effectiveness for use of the hoses in any particular application. Limited Warranty: For a period of 6 months from the date of sale, VENAIR warrants this product to be free from defects in materials and workmanship. Our only obligation will be to replace any portion proving defective, or at our option, to refund the purchase price thereof. User assumes all other risk, if any, including the risk of injury, loss or damage, direct or consequential, arising out of the use, misuse, or inability to use, this product. THIS WARRANTY IS IN LIEU OF THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR PARTICULAR PURPOSE, AND ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. No deviation is authorized. VENAIR assumes no obligations or liability for any advice furnished by it, or for results obtained with respect to those products. All such advice is given and accepted at the buyer's risk.

Venair, Vena, Technoair and the Venair logo are trademarks of Venair Ibérica SA.

365	0,5	366	0,05	0,45	375
370	0,5	371	0,05	0,45	380
375	0,5	376	0,04	0,44	385
380	0,5	381	0,04	0,44	390
385	0,5	386	0,04	0,44	395
390	0,5	391	0,04	0,44	400
395	0,5	396	0,04	0,44	405
400	0,5	401	0,04	0,44	410
405	0,5	406	0,03	0,44	415
410	0,5	411	0,03	0,44	420
415	0,5	416	0,03	0,44	425
420	0,5	421	0,03	0,44	430
425	0,5	426	0,03	0,44	435
430	0,5	431	0,03	0,44	440
435	0,5	436	0,03	0,44	445
440	0,5	441	0,02	0,44	450
445	0,5	446	0,02	0,44	455
450	0,5	451	0,02	0,44	460

IMPORTANT:

It is the user's responsibility to ensure the suitability and safety of the VENAIR products for all intended uses. All the tests must be conducted in accordance with applicable regulatory requirements in order to determine the safety and effectiveness for use of the hoses in any particular application. Limited Warranty: For a period of 6 months from the date of sale, VENAIR warrants this product to be free from defects in materials and workmanship. Our only obligation will be to replace any portion proving defective, or at our option, to refund the purchase price thereof. User assumes all other risk, if any, including the risk of injury, loss or damage, direct or consequential, arising out of the use, misuse, or inability to use, this product. THIS WARRANTY IS IN LIEU OF THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR PARTICULAR PURPOSE, AND ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. No deviation is authorized. VENAIR assumes no obligations or liability for any advice furnished by it, or for results obtained with respect to those products. All such advice is given and accepted at the buyer's risk.

Venair, Vena, Technoair and the Venair logo are trademarks of Venair Ibérica SA.