

Gas-Phase Chemical Media

SAAFCarb™

Product Overview

- Pelletized activated carbon media that removes toxic and impure contaminants from the atmosphere
- Quick and easy media changeovers
- Resists a wide range of impure gases
- Low pressure drop and high adsorptive capacity



Specifications

Media Type	Chemical
Frame Material	None
Max Operating Temperature	125°F (52°C)

Product Information

Part Number	Media Type	Media Wgt. per Container (Lbs.)	Shipping Container Volume (Cubic Feet)
Cubic Foot Containers			
395-914-200	SAAFCarb	30	1.2
<i>NOTE: All media packaged in Cubic Foot Containers is sold per container. Containers cannot be broken.</i>			
Large Super Sack Containers			
395-913-200	SAAFCarb	1100	36.7
<i>NOTE: All media packaged in Large Super Sack Containers is sold per pound. The weights should be sold in multiples of the container weight.</i>			
Special Containers			
395-919-200	SAAFCarb (50-lb bag)	50	1.7
<i>NOTE: All media packaged in Special Containers is sold per pound. Containers cannot be broken.</i>			

GAS-PHASE
CHEMICAL MEDIA

AAF has a policy of continuous product research and improvement and reserves the right to change design and specifications without notice.

www.aafintl.com

