PERFORMANCE LUBRICANTS

SAFETY DATA SHEET

1. Identification

Product identifier Bel-Ray Gear Saver Hypoid Gear Oil 80W-90

Product Code 99230 SDS number 6789

Other means of identification Not available.

Recommended use Gear Oil

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Bel-Ray Company, LLC

P.O. Box 526

Farmingdale, NJ 07727 United States of America

+1 732 938 2421

CHEMTREC: 800-424-9300 (USA)

CHEMTREC: +1 703-527-3887 (outside USA - call collect)

2. Hazard(s) identification

Physical hazards Not classified.
Health hazards Not classified.

Environmental hazards Hazardous to the aquatic environment, acute Category 3

hazard

Hazardous to the aquatic environment, long-term hazard

Category 3

OSHA defined hazards Not classified.

Label elements

Hazard symbol None.
Signal word None.

Hazard statement The mixture does not meet the criteria for classification.

Precautionary statement

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Distillates (petroleum), Hydrotreated Heavy Paraffinic	I	64742-54-7	0 - < 100
Distillates (petroleum), Solvent-refined Heavy Paraffinic		64741-88-4	0 - < 100

Material name: Bel-Ray Gear Saver Hypoid Gear Oil 80W-90
99230 Version #: 2.0 Revision date: 05-28-2016 Print date: 05-28-2016

Chemical name	Common name and synonyms	CAS number	%
Residual Oils (petroleum), Solvent-refined		64742-01-4	0 - < 100
Other components below repo		3 - < 5	

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Do not induce vomiting. Get medical attention if symptoms occur. Never give liquid to

an unconscious person.

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special treatment needed

Irritation of eyes and mucous membranes. Skin irritation.

Treat symptomatically.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Specific hazards arising from

the chemical

Special protective equipment and precautions for

firefighters

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

During fire, gases hazardous to health may be formed.

Wear suitable protective equipment. Self-contained breathing apparatus and full protective clothing

must be worn in case of fire.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Methods and materials for containment and cleaning up Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. For personal protection, see section 8 of the SDS.

This product is miscible in water.

Large Spills: Stop the flow of material, if this is without risk. Use water spray to reduce vapors or divert vapor cloud drift. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions Prevent further leakage or spillage if safe to do so.

7. Handling and storage

Precautions for safe handling

Conditions for safe storage,

including any

Observe good industrial hygiene practices.

Store in original tightly closed container. Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the SDS).

incompatibilities

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form
Distillates (petroleum), Hydrotreated Heavy Paraffinic (CAS 64742-54-7)	PEL	5 mg/m3	Mist.
Distillates (petroleum), Solvent-refined Heavy Paraffinic (CAS 64741-88-4)	PEL	5 mg/m3	Mist.
		2000 mg/m3	
		500 ppm	
Residual Oils (petroleum), Solvent-refined (CAS 64742-01-4)	PEL	5 mg/m3	Mist.
US. NIOSH: Pocket Guide	to Chemical Hazards		
Components	Туре	Value	Form
Distillates (petroleum), Hydrotreated Heavy Paraffinic (CAS 64742-54-7)	STEL	10 mg/m3	Mist.
,	TWA	5 mg/m3	Mist.
Distillates (petroleum), Solvent-refined Heavy Paraffinic (CAS 64741-88-4)	Ceiling	1800 mg/m3	
,	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Residual Oils (petroleum), Solvent-refined (CAS 64742-01-4)	STEL	10 mg/m3	Mist.
•	TWA	5 mg/m3	Mist.
ogical limit values	No biological exposure limits noted for the ingredient(s).		

Biological limit values

Appropriate engineering

controls

No biological exposure limits noted for the ingredient(s).

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Oily. Liquid. **Appearance** Liquid. Physical state **Form** Liquid. Color Red. Odor Petroleum Odor threshold Not available. pН Not available. Melting point/freezing point Not available.

99230 Version #: 2.0 Revision date: 05-28-2016 Print date: 05-28-2016

Initial boiling point and

boiling range

> 932 °F (> 500 °C)

Flash point

449.6 °F (232.0 °C) Pensky-Martens Closed Cup

Evaporation rate Not available.
Flammability (solid, gas) Not available.
Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit -

Not available.

upper (%)

Explosive limit - lower

Not available.

(%)

Explosive limit - upper

Not available.

(%)

Vapor pressureNot available.Density894.00 kg/m³Vapor densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water) Negligible

Solubility (other) Oil

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity 165 cSt ASTM D445

Viscosity temperature 104 °F (40 °C)

Other information

Flammability class Combustible IIIB estimated

Flash point class Combustible IIIB

Percent volatile < 1 % Specific gravity 0.89 VOC < 1 %

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoidContact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

At thermal decomposition temperatures, carbon monoxide and carbon dioxide.

11. Toxicological information

Information on likely routes of exposure

InhalationNo adverse effects due to inhalation are expected.Skin contactNo adverse effects due to skin contact are expected.Eye contactDirect contact with eyes may cause temporary irritation.

Ingestion Expected to be a low ingestion hazard.

Material name: Bel-Ray Gear Saver Hypoid Gear Oil 80W-90

Symptoms related to the physical, chemical and toxicological

Irritation of eyes and mucous membranes. Skin irritation.

Information on toxicological effects

Acute toxicity Respiratory tract irritation.

Product Species Test Results

Bel-Ray Gear Saver Hypoid Gear Oil 80W-90

Acute Dermal

characteristics

LD50 Rabbit 2094 mg/kg estimated

Oral

LD50 Rat 2094 mg/kg estimated

Skin corrosion/irritation

Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

Serious eye damage/eye

irritation

Respiratory or skin sensitization

Respiratory sensitizationBased on available data, the classification criteria are not met.Skin sensitizationBased on available data, the classification criteria are not met.Germ cell mutagenicityBased on available data, the classification criteria are not met.CarcinogenicityBased on available data, the classification criteria are not met.

Specific target organ toxicity - single exposure

Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

Specific target organ toxicity - repeated exposure

Based on available data, the classification criteria are not met.

oxposu. c

Reproductive toxicity

Aspiration hazard Not an aspiration hazard.

12. Ecological information

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Product Species Test Results

Bel-Ray Gear Saver Hypoid Gear Oil 80W-90

Aquatic

Fish LC50 Fish 171.2622 mg/l, 96 hours estimated

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available. **Mobility in soil** No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal

instructions).

Material name: Bel-Ray Gear Saver Hypoid Gear Oil 80W-90 99230 Version #: 2.0 Revision date: 05-28-2016 Print date: 05-28-2016

^{*} Estimates for product may be based on additional component data not shown.

^{*} Estimates for product may be based on additional component data not shown.

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established.

Annex II of MARPOL 73/78

and the IBC Code

15. Regulatory information

US federal regulations All components are on the U.S. EPA TSCA Inventory List.

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazarc

Communication Standard, 29 CFR 1910.1200.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 No

Hazardous chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Water Act (CWA)

Section 112(r) (40 CFR

68.130)

Safe Drinking Water Act

(SDWA)

Not regulated.

Hazardous substance

US state regulations

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Distillates (petroleum), Hydrotreated Heavy Paraffinic (CAS 64742-54-7)

Distillates (petroleum), Solvent-refined Heavy Paraffinic (CAS 64741-88-4)

Residual Oils (petroleum), Solvent-refined (CAS 64742-01-4)

US. Massachusetts RTK - Substance List

Distillates (petroleum), Hydrotreated Heavy Paraffinic (CAS 64742-54-7)

Distillates (petroleum), Solvent-refined Heavy Paraffinic (CAS 64741-88-4)

Residual Oils (petroleum), Solvent-refined (CAS 64742-01-4)

US. New Jersey Worker and Community Right-to-Know Act

Distillates (petroleum), Hydrotreated Heavy Paraffinic (CAS 64742-54-7)

Distillates (petroleum), Solvent-refined Heavy Paraffinic (CAS 64741-88-4)

Residual Oils (petroleum), Solvent-refined (CAS 64742-01-4)

US. Pennsylvania Worker and Community Right-to-Know Law

Distillates (petroleum), Hydrotreated Heavy Paraffinic (CAS 64742-54-7)

Residual Oils (petroleum), Solvent-refined (CAS 64742-01-4)

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

Material name: Bel-Ray Gear Saver Hypoid Gear Oil 80W-90 99230 Version #: 2.0 Revision date: 05-28-2016 Print date: 05-28-2016

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

Yes

16. Other information, including date of preparation or last revision

 Issue date
 03-03-2016

 Revision date
 05-28-2016

Version # 2.0

DisclaimerBel-Ray Company, LLC cannot anticipate all conditions under which this information and its product,

or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any

process, unless specified in the text.

Material name: Bel-Ray Gear Saver Hypoid Gear Oil 80W-90

99230 Version #: 2.0 Revision date: 05-28-2016 Print date: 05-28-2016 7 / 7

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).